

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 2 | ("20020087912").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/29 17:10 |
| S2 | 1 | ("5774660").PN. | USPAT; USOCR | OR | OFF | 2006/03/13 11:42 |
| S3 | 1 | ("20020103663").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/13 11:42 |
| S4 | 4 | "709"/\$.ccls. and (recover\$3 and failover\$3).ab. and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 13:48 |
| S5 | 132 | "709"/\$.ccls. and (recover\$3 and failover\$3) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 13:49 |
| S6 | 25 | "709"/\$.ccls. and (failover\$3).ab. and recover\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 13:57 |
| S7 | 31 | "709"/\$.ccls. and (failover\$3) same recover\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 14:09 |
| S8 | 31 | "709"/\$.ccls. and (failover\$3) same recover\$3 and fail\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 12:59 |
| S9 | 2 | "709"/\$.ccls. and (failover\$3) same recover\$3 with policy and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 15:18 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S10 | 0 | "709"/\$.ccls. and (failover\$3).ti. and recover\$3 with policy and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 15:18 |
| S11 | 2 | "709"/\$.ccls. and (failover\$3).ab. and recover\$3 with policy and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 15:29 |
| S12 | 0 | "709"/\$.ccls. and (failover\$3 with proxy) and recover\$3 with policy and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 15:30 |
| S13 | 2 | "709"/\$.ccls. and (failover\$3 with proxy) and recover\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 15:51 |
| S14 | 0 | "709"/\$.ccls. and (loadbalanc\$3 near1 server) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 15:52 |
| S15 | 7551 | "709"/\$.ccls. and (load balanc\$3 near1 server) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 15:52 |
| S16 | 209 | "709"/\$.ccls. and (load near1 balanc\$3 near1 server) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 15:52 |
| S17 | 1 | "709"/\$.ccls. and (load near1 balanc\$3 near1 server) with polic\$1 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 16:03 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S18 | 2 | (load near1 balanc\$3 near1 server) with polic\$1 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 16:03 |
| S19 | 373 | (load near1 balanc\$3 near1 server) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 16:03 |
| S20 | 8 | (load near1 balanc\$3 near1 server) same polic\$1 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 16:04 |
| S21 | 10 | (load near1 balanc\$3 near1 server) same polic\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 16:04 |
| S22 | 5 | "709"/\$.cccls. and (load near1 balanc\$3 near1 server) same polic\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 16:43 |
| S23 | 39 | "709"/\$.cccls. and (load near1 balanc\$3 with server) same polic\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 16:43 |
| S24 | 222 | "709"/\$.cccls. and (load near1 balanc\$3 with server) and polic\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 16:43 |
| S25 | 28 | "709"/\$.cccls. and (load near1 balanc\$3 with server) with polic\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 16:59 |

EAST Search History

| | | | | | | |
|-----|---|--|---|----|----|------------------|
| S26 | 0 | "709"/\$.cccls. and (re-direct\$3 with table) with polic\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:00 |
| S27 | 0 | "709"/\$.cccls. and (re near1 direct\$3 with table) with polic\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:00 |
| S28 | 0 | "709"/\$.cccls. and (re near1 direct\$3 with table) same load with balancing and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:01 |
| S29 | 9 | "709"/\$.cccls. and (direct\$3 with table) same load with balancing and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:01 |
| S30 | 9 | "709"/\$.cccls. and (direct\$3 with table) same load with balancing and fail\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:02 |
| S31 | 0 | "709"/\$.cccls. and (direct\$3 with table) same load with balancing and fail\$3 with dectect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:02 |
| S32 | 0 | "709"/\$.cccls. and (direct\$3 with table) and load with balancing and fail\$3 with dectect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:02 |
| S33 | 0 | "709"/\$.cccls. and (direct\$3 with table) and fail\$3 with dectect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:02 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S34 | 164 | "709"/\$.ccls. and (direct\$3 with table) and fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:02 |
| S35 | 66 | "709"/\$.ccls. and (direct\$3 with table) and fail\$3 with detect\$3 and load with balanc\$4 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:03 |
| S36 | 1 | "709"/\$.ccls. and (direct\$3 with table) with recover\$3 and fail\$3 with detect\$3 and load with balanc\$4 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:05 |
| S37 | 81 | "709"/\$.ccls. and recover\$3 same fail\$3 with detect\$3 and load with balanc\$4 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:57 |
| S38 | 35 | "709"/\$.ccls. and recover\$3 same fail\$3 with detect\$3 and load with balanc\$4 and policy and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:58 |
| S39 | 0 | "709"/\$.ccls. and recover\$3 same fail\$3 with detect\$3 and load with balanc\$4 and recover near2 policy and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:58 |
| S40 | 0 | "709"/\$.ccls. and recover\$3 same fail\$3 and detect\$3 and load with balanc\$4 and recover near2 policy and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:58 |
| S41 | 0 | "709"/\$.ccls. and fail\$3 and detect\$3 and load with balanc\$4 and recover near2 policy and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 17:59 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S42 | 15 | "709"/\$.cccls. and fail\$3 and detect\$3 and load with balanc\$4 and recover\$3 near2 policy and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 18:02 |
| S43 | 13 | "709"/\$.cccls. and fail near1 over\$4 and recover\$3 near2 policy and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 18:17 |
| S44 | 1 | "709"/\$.cccls. and fail near1 over\$4 and recover\$3 near2 directions and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 18:38 |
| S45 | 1 | ("20040230660").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/13 18:42 |
| S46 | 0 | messages near1 type41 with parameter\$1 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 18:43 |
| S47 | 0 | messages with type41 with parameter\$1 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 18:43 |
| S48 | 1372 | messages with type\$1 with parameter\$1 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 18:43 |
| S49 | 80 | messages with type\$1 with parameter\$1 with server\$1 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 18:43 |
| S50 | 0 | messages with type\$1 with parameter\$1 with forward\$3 with server\$1 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 18:44 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S51 | 6 | messages with type\$1 with parameter\$1 same forward\$3 with server\$1 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/13 19:01 |
| S52 | 0 | ("20020126135").PN. | USPAT; USOCR | OR | OFF | 2006/03/13 19:01 |
| S53 | 1 | ("20020126135").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/13 19:09 |
| S54 | 1 | ("20040133669").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/14 11:14 |
| S55 | 0 | ("DNSandrecover\$3andfail\$3and@d<="20010201").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/14 11:14 |
| S56 | 1296 | DNS and recover\$3 and fail\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 11:15 |
| S57 | 19 | DNS with recover\$3 and fail\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 11:16 |
| S58 | 1 | DNS with server with recover\$3 and fail\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:15 |
| S59 | 1 | DNS with server same recover\$3 with table and fail\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:31 |
| S60 | 93 | recover\$3 with rout\$4 with table and fail\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:32 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S61 | 20 | recover\$3 with rout\$4 with table and fail\$3 with over and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:32 |
| S62 | 0 | proxy with recover\$3 with rout\$4 with table and fail\$3 with over and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:32 |
| S63 | 1 | router with recover\$3 with rout\$4 with table and fail\$3 with over and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:46 |
| S64 | 10 | router with recover\$3 same fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:46 |
| S65 | 2 | router with recover\$3 same fail\$3 with detect\$3 with period and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:49 |
| S66 | 10 | router with recover\$3 same fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:49 |
| S67 | 0 | router with recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:49 |
| S68 | 10 | router with recover\$3 same fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:51 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S69 | 35 | recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:58 |
| S70 | 0 | proxy with recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:58 |
| S71 | 0 | proxy with recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:59 |
| S72 | 0 | proxy same recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:59 |
| S73 | 0 | DNS near1 server same recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 12:59 |
| S74 | 2 | server same recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 13:00 |
| S75 | 35 | recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 13:01 |
| S76 | 6 | recover\$3 near2 table same fail\$3 with detect\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 13:54 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S77 | 0 | Abjamic.in. and transaction with types and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 13:55 |
| S78 | 10408 | transaction with types and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 13:55 |
| S79 | 309 | transaction with types with parameter\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 13:55 |
| S80 | 4 | transaction with types with message near1 parameter\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 13:58 |
| S81 | 46 | transaction with types with router\$3 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 13:58 |
| S82 | 1 | transaction with types with router\$3 same parameter\$1 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 14:19 |
| S83 | 21026 | (fail\$3 with period\$3) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 14:25 |
| S84 | 1013 | (fail\$3 with response\$3 with period\$3) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 14:25 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S85 | 247 | detect\$3 with (fail\$3 with response\$3 with period\$3) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 14:25 |
| S86 | 9 | "709"/.cccls. and detect\$3 with (fail\$3 with response\$3 with period\$3) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 14:25 |
| S87 | 9 | "709"/\$.cccls. and detect\$3 with (fail\$3 with response\$3 with period\$3) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 15:01 |
| S88 | 0 | "709"/\$.cccls. and failover\$3 with (fail\$3 with response\$3 with period\$3) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 14:30 |
| S89 | 1 | "709"/\$.cccls. and failover\$3 same (fail\$3 with response\$3 with period\$3) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 14:30 |
| S90 | 0 | ("20020073211").PN. | USPAT; USOCR | OR | OFF | 2006/03/14 15:01 |
| S91 | 1 | ("20020073211").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/14 15:11 |
| S92 | 1 | ("6138159").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/14 15:24 |
| S93 | 1 | ("20020073211").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/14 15:26 |
| S94 | 1 | ("6,728,748").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/14 15:36 |
| S95 | 1 | ("6,327,622").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/14 15:36 |

EAST Search History

| | | | | | | |
|----------|------|---|---|----|-----|------------------|
| S96 | 1 | failover with rules and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 15:38 |
| S97 | 15 | failover with polic\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 15:39 |
| S98 | 9 | failover near3 polic\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 15:46 |
| S99 | 15 | failover near4 polic\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 15:47 |
| S10 0 | 1 | failover near1 rule\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 15:47 |
| S10 1 | 1 | failover with rule\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 15:47 |
| S10 2 | 38 | fail with over with polic\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 16:01 |
| S10 3 | 1 | ("6,108,701").PN. | USPAT; USOCR | OR | OFF | 2006/03/14 17:02 |
| S10 4 | 4587 | transaction with id\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:03 |

EAST Search History

| | | | | | | |
|----------|------|--|---|----|-----|------------------|
| S10 5 | 532 | transaction with id\$4 with type\$1 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:03 |
| S10 6 | 11 | transaction with id\$4 with type\$1 with parameter\$1 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:04 |
| S10 7 | 11 | transaction\$1 with id\$4 with type\$1 with parameter\$1 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:08 |
| S10 8 | 1 | ("6,728,748").PN. | USPAT; USOCR | OR | OFF | 2006/03/14 17:09 |
| S10 9 | 0 | load with balancing same transation with id\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:10 |
| S11 0 | 1 | load with balancing and transation\$1 with id\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:11 |
| S11 1 | 0 | transation\$1 with identifi\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:12 |
| S11 2 | 5592 | transaction\$1 with identifi\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:12 |
| S11 3 | 10 | load with balanc\$3 with transaction\$1 with identifi\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:13 |

EAST Search History

| | | | | | | |
|----------|-------|--|---|----|----|------------------|
| S11 4 | 26055 | fail with over transaction\$1 with identifi\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:13 |
| S11 5 | 0 | fail with over with transaction\$1 with identifi\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:13 |
| S11 6 | 1 | fail with over same transaction\$1 with identifi\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:15 |
| S11 7 | 23 | fail with over and table with transaction\$1 with identifi\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:15 |
| S11 8 | 12 | fail with over and table with transaction\$1 near2 identifi\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:17 |
| S11 9 | 172 | table with transaction\$1 near1 identifi\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:17 |
| S12 0 | 0 | (load with balanc\$3) and (table\$1 with transaction\$1) near1 identifi\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:18 |
| S12 1 | 3 | (fail with over) and (table\$1 with transaction\$1) near1 identifi\$4 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:18 |

EAST Search History

| | | | | | | |
|----------|----|--|---|----|-----|------------------|
| S12 2 | 11 | (fail with over) and (table\$1 with transaction\$1 near1 identifi\$4) and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:23 |
| S12 3 | 0 | (fail with over) same(table\$1 with transaction\$1 near1 identifi\$4) and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:20 |
| S12 4 | 8 | (load with balanc\$3) and (table\$1 with transaction\$1 near1 identifi\$4) and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:27 |
| S12 5 | 68 | (load with balanc\$3) and (table\$1 with connection\$1 near1 identifi\$4) and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 17:27 |
| S12 6 | 18 | (load with balanc\$3) and (table\$1 with connection\$1 near1 identifi\$4) and @ad<="20010102" and recover\$3 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/14 19:10 |
| S12 7 | 1 | ("6728748").PN. | USPAT; USOCR | OR | OFF | 2006/03/15 08:41 |
| S12 8 | 1 | ("6138159").PN. | USPAT; USOCR | OR | OFF | 2006/03/15 09:14 |
| S12 9 | 0 | (2002/0087912).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/15 09:14 |
| S13 0 | 1 | ("20020087912").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/15 10:58 |
| S13 1 | 3 | classif\$4 with bussiness withh transaction\$4 with @ad<="20010102" | USPAT | OR | OFF | 2006/03/15 11:16 |
| S13 2 | 91 | classif\$4 with bussiness withh transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:16 |

EAST Search History

| | | | | | | |
|----------|----|---|---|----|----|------------------|
| S13 3 | 87 | fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:17 |
| S13 4 | 87 | "705"/\$.cccls. and fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:19 |
| S13 5 | 87 | "709"/\$.cccls.and fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:19 |
| S13 6 | 87 | "709"/\$.cccls.and fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:20 |
| S13 7 | 0 | "709"/\$.cccls.and fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:20 |
| S13 8 | 0 | "709"/\$.cccls.and fail with over and classif\$4 with bussiness with transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:20 |
| S13 9 | 0 | "705"/\$.cccls.and fail with over and classif\$4 with bussiness with transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:20 |
| S14 0 | 0 | fail with over and classif\$4 with bussiness with transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:21 |

EAST Search History

| | | | | | | |
|----------|--------|---|---|----|----|------------------|
| S14 1 | 0 | failover and classif\$4 with bussiness with transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:21 |
| S14 2 | 0 | classif\$4 with bussiness with transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:21 |
| S14 3 | 311894 | classif\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:21 |
| S14 4 | 0 | classif\$4 with transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:21 |
| S14 5 | 0 | classif\$4 same transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:22 |
| S14 6 | 0 | transaction\$4 with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:23 |
| S14 7 | 0 | transaction with @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:23 |
| S14 8 | 0 | transaction with @ad<="20050102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:23 |

EAST Search History

| | | | | | | |
|----------|---------|---|---|----|-----|------------------|
| S14 9 | 224233 | transaction | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:23 |
| S15 0 | 125081 | transaction and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:23 |
| S15 1 | 3828097 | classif\$4 and identify transaction types and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:25 |
| S15 2 | 3643285 | classif\$4 and identify with transaction types and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 11:25 |
| S15 3 | 47 | classif\$4 and identify with transaction with types and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 13:14 |
| S15 4 | 1 | ("6138159").PN. | USPAT; USOCR | OR | OFF | 2006/03/15 13:14 |
| S15 5 | 1 | ("6292905").PN. | USPAT; USOCR | OR | OFF | 2006/03/15 13:15 |
| S15 6 | 1 | ("20020087912").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/15 13:16 |
| S15 7 | 0 | ("10020073211").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/15 13:16 |
| S15 8 | 0 | ("10020073211").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/15 13:16 |
| S15 9 | 1 | ("20020073211").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/15 13:24 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S16 0 | 14 | bill with charg\$3 with connections with time\$1 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 13:33 |
| S16 1 | 4 | bill with charg\$3 with connections near2 time\$1 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 14:04 |
| S16 2 | 2 | cookie\$1 with insert\$3 with database and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 14:18 |
| S16 3 | 1 | ("6,108,701").PN. | USPAT; USOCR | OR | OFF | 2006/03/15 14:19 |
| S16 4 | 1 | ("6,292,905").PN. | USPAT; USOCR | OR | OFF | 2006/03/15 14:20 |
| S16 5 | 1 | ("6,138,159").PN. | USPAT; USOCR | OR | OFF | 2006/03/15 14:20 |
| S16 6 | 298 | fail with over and secur\$4 with connection and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 14:21 |
| S16 7 | 63 | fail with over and secur\$4 near1 connection and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 14:21 |
| S16 8 | 7 | fail with over and secur\$4 near1 connection and shopp\$5 with cart\$1 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 14:44 |
| S16 9 | 1 | fail with over same shopp\$5 with cart\$1 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 14:45 |

EAST Search History

| | | | | | | |
|----------|----|---|---|----|-----|------------------|
| S17 0 | 32 | fail with over and shopp\$5 with cart\$1 and @ad<="20010102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/15 14:45 |
| S17 1 | 2 | ("20020103663").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 16:44 |
| S17 2 | 2 | ("6,185,695").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 16:48 |
| S17 3 | 0 | ("200200733211").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 16:48 |
| S17 4 | 0 | ("200200733211").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 16:49 |
| S17 5 | 2 | ("20020073321").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 16:50 |
| S17 6 | 2 | ("20020073211").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 17:02 |
| S17 7 | 2 | ("20030145120").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 17:05 |

EAST Search History

| | | | | | | |
|----------|---|----------------------|---|----|-----|------------------|
| S17 8 | 2 | ("6182163").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 17:06 |
| S17 9 | 2 | ("6751213").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 17:11 |
| S18 0 | 2 | ("6182163").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 17:45 |
| S18 1 | 2 | ("4672529").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 17:46 |
| S18 2 | 2 | ("5951707").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 17:48 |
| S18 3 | 2 | ("5638384").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 17:49 |
| S18 4 | 0 | ("200200733211").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/29 11:35 |
| S18 5 | 2 | ("20020073211").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/29 11:38 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S18 6 | 2 | "20020073211" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 12:51 |
| S18 7 | 2 | ("6859834").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/29 12:51 |
| S18 8 | 340 | "709"/\$.ccls. and (transaction\$3 with failure\$1) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 13:00 |
| S18 9 | 85 | "709"/\$.ccls. and (transaction\$3 with failure\$1) same recovery and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 13:37 |
| S19 0 | 3 | "709"/\$.ccls. and ((transaction\$3 with failure\$1) with detect\$4) same recovery and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 13:56 |
| S19 1 | 0 | ((transaction\$3 with failure\$1 with outcome\$1) with detect\$4) same recovery and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 13:56 |
| S19 2 | 1 | ((transaction\$3 with failure\$1 with outcome\$1) with detect\$4) and recovery and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:00 |
| S19 3 | 1 | ((transaction\$3 same failure\$1 with outcome\$1) with detect\$4) and recovery and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:00 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S19 4 | 4 | ((failure\$1 with outcome\$1) with detect\$4) and recovery and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:34 |
| S19 5 | 0 | (decriptive with state\$1 with transaction\$1) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:35 |
| S19 6 | 0 | (decriptive with state\$1) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:35 |
| S19 7 | 9 | (descriptive with state\$1 with transaction\$1) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 14:35 |
| S19 8 | 2 | (descriptive with state\$1 with transaction\$1)with record\$1 and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 15:03 |
| S19 9 | 268 | (request\$3 near2 types)with (transaction near2 types) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 15:03 |
| S20 0 | 5 | match\$3 with (request\$3 near2 types)with (transaction near2 types) and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 15:20 |
| S20 1 | 143 | (updat\$3 with (transaction near2 types) and @ad<="20010201") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 15:21 |

EAST Search History

| | | | | | | |
|----------|----|--|---|----|----|------------------|
| S20 2 | 36 | (updat\$3 with (transaction near2 types)) and recovery and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 15:24 |
| S20 3 | 31 | (updat\$3 with (transaction near1 types)) and recovery and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 15:24 |
| S20 4 | 6 | (updat\$3 with (transaction adj2 types)) and recovery and @ad<="20010201" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/29 17:10 |